



desktop



panel mount



- 92 keys, silicone rubber
- 25 mm waterproof trackball
- IP67 sealing

IEC60945 MARINE SILICONE RUBBER KEYBOARD

NSI presents their standard full travel rubber keyboard. This 92 key backlit keyboard features a compact rubber keyboard with integrated waterproof 25 mm trackball and scroll function. The rubber keys are proven for efficient cleaning, reduced disinfection time and protection against cross contamination. The backlit keys warrant for optimized performance while working in low-light environments. A non-backlit version is also available.

MAIN FEATURES

- Certificate of Conformity fully compliant with IEC60945
- Compact layout, 92 full travel keys
- Removable 25 mm trackball, IP68 sealed
- Dimmable backlighting at 8 levels by two dedicated keys
- Low power LED's warrant for a long life
- No external power supply necessary, keyboardport power sufficient
- Intelligent luminosity setting of "capslock" LED's
- White backlighting as standard, other colours on request.

Panel mount version :

- Front panel mounting with studs
- Dimensions / weight : 350 x 159 x 36 mm / 0,6 kg

Desktop version :

- For VESA mount - VESA75
- Dimensions / weight : 354,50 x 163,5 x 38,6 mm / 0,8 kg

GENERAL TECHNICAL SPECIFICATIONS

Sealing	: IP67 sealed
Keys	: 92 full travel rubber keys
Pointing Device	: 25 mm optical trackball
Output	: one 1,8 m. USB cable (panel mount) one 1,35 m. USB cable (enclosed)
Power requirements	: Directly from USB port
Operating temp.	: 0°C to +60°C
Switch force	: 210 grams
Switch stroke	: 2 mm

CONNECTIVITY

The keyboards are supplied with one shielded straight USB cable. For the panel mount version the cable is 1,8 m long. For the enclosed version the cable is 1,35 m long.




ORDER INFO

BACKLIT VERSION

standard white backlight, other colours on request

COUNTRY LAYOUT	PANEL MOUNT	DESKTOP	PANEL MOUNT	DESKTOP
US Qwerty	RKCT92F0001-W-MC1	RKCT92S0001-W-MC1	RKCT92F0001-N-MC1	RKCT92S0001-N-MC1
Russian Cyrillic	RKCT92F0007-W-MC1	RKCT92S0007-W-MC1	RKCT92F0007-N-MC1	RKCT92S0007-N-MC1
French Azerty	RKCT92F0033-W-MC1	RKCT92S0033-W-MC1	RKCT92F0033-N-MC1	RKCT92S0033-N-MC1
Italian Qwerty	RKCT92F0039-W-MC1	RKCT92S0039-W-MC1	RKCT92F0039-N-MC1	RKCT92S0039-N-MC1
Norwegian Qwerty	RKCT92F0047-W-MC1	RKCT92S0047-W-MC1	RKCT92F0047-N-MC1	RKCT92S0047-N-MC1
German Qwertz	RKCT92F0049-W-MC1	RKCT92S0049-W-MC1	RKCT92F0049-N-MC1	RKCT92S0049-N-MC1
Turkish Qwerty	RKCT92F0090-W-MC1	RKCT92S0090-W-MC1	RKCT92F0090-N-MC1	RKCT92S0090-N-MC1

USB output



Dim in mm.



DIMENSIONAL DRAWING
desktop version

RKCT92-MC1



Dim in mm.